## SAFETY DATA SHEET

#### Chem-Gum



### Section 1. Identification

**GHS** product identifier

Chem-Gum

**Product code** 

KEM Gum

Other means of identification

KLIVI Guii

**Product type** 

Solid.

#### Relevant identified uses of the substance or mixture and uses advised against

**Identified uses** 

**RFID Tires** 

**Manufacturer** 

Patch Rubber Company 100 Patch Rubber Road Weldon, NC 27890 United States

Phone: (252)536-2574

Emergency telephone number (with hours of

CHEMTREC, U.S.: 1-800-424-9300 International: +1-703-527-3887

## number (with hours of operation)

### Section 2. Hazards identification

OSHA/HCS status

This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the

SKIN SENSITIZATION - Category 1

substance or mixture

TOXIC TO REPRODUCTION (Fertility) - Category 2 AQUATIC HAZARD (ACUTE) - Category 1 AQUATIC HAZARD (LONG-TERM) - Category 1

## GHS label elements

**Hazard pictograms** 







Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction.

H361 - Suspected of damaging fertility.

H410 - Very toxic to aquatic life with long lasting effects.

#### **Precautionary statements**

**Prevention** 

P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.
P280 - Wear protective gloves. Wear eye or face protection. Wear protective clothing.

P273 - Avoid release to the environment.

P261 - Avoid breathing dust.

P272 (OSHA) - Contaminated work clothing must not be allowed out of the workplace.

Version: 1



### Section 2. Hazards identification

Response

: P391 - Collect spillage.

P308 + P313 - IF exposed or concerned: Get medical attention.

P302 + P352 + P363 - IF ON SKIN: Wash with plenty of soap and water. Wash

contaminated clothing before reuse.

P333 + P313 - If skin irritation or rash occurs: Get medical attention.

Storage

: P405 - Store locked up.

Disposal

: P501 - Dispose of contents and container in accordance with all local, regional, national

and international regulations.

Hazards not otherwise

classified

: None known.

### Section 3. Composition/information on ingredients

Substance/mixture

Other means of

identification

: Mixture

: Not available.

Ingredient name	%	CAS number
Carbon black, non respirable	≥10 - ≤25	1333-86-4
Zinc oxide	≥3 - ≤5	1314-13-2
Sulfur, homopolymer	≥1 - ≤3	9035-99-8
1,3-Diphenylguanidine	≤0.3	102-06-7
N-(cyclohexylthio)phthalimide	≤0.3	17796-82-6
4-(1,1,3,3-Tetramethylbutyl)phenol	≤0.1	140-66-9

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

### Section 4. First aid measures

#### Description of necessary first aid measures

**Eve contact** 

: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Continue to rinse for at least 20 minutes. Get medical attention if irritation occurs.

Inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Get medical attention. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Skin contact

: Wash with plenty of soap and water. Wash contaminated clothing thoroughly with water before removing it, or wear gloves. Continue to rinse for at least 20 minutes. Get medical attention. In the event of any complaints or symptoms, avoid further exposure. Wash clothing before reuse. Clean shoes thoroughly before reuse.

Ingestion

: Wash out mouth with water. Remove dentures if any. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Stop if the exposed person feels sick as vomiting may be dangerous. Do not induce vomiting unless directed to do so by medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Loosen tight clothing such as a collar, tie, belt or waistband.

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version: 1



### Section 4. First aid measures

#### Most important symptoms/effects, acute and delayed

#### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

Skin contact : May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

#### Over-exposure signs/symptoms

Eye contact : No known significant effects or critical hazards.

Inhalation : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

**Skin contact** : Adverse symptoms may include the following:

irritation redness

reduced fetal weight increase in fetal deaths skeletal malformations

**Ingestion** : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician

: Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.

Specific treatments

: No specific treatment.

Protection of first-aiders

: No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

See toxicological information (Section 11)

## Section 5. Fire-fighting measures

#### Extinguishing media

Suitable extinguishing

media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable extinguishing

media

: None known.

Specific hazards arising from the chemical

: This material is very toxic to aquatic life with long lasting effects. Fire water contaminated with this material must be contained and prevented from being discharged to any waterway, sewer or drain.

Hazardous thermal decomposition products

: Decomposition products may include the following materials:

carbon dioxide carbon monoxide sulfur oxides metal oxide/oxides

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version: 1



### Section 5. Fire-fighting measures

Special protective actions for fire-fighters

: Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.

Special protective equipment for fire-fighters : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### Section 6. Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders: If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

**Environmental precautions** 

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). Water polluting material. May be harmful to the environment if released in large quantities. Collect spillage.

#### Methods and materials for containment and cleaning up

Spill

: Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Avoid dust generation. Do not dry sweep. Vacuum dust with equipment fitted with a HEPA filter and place in a closed, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

### Section 7. Handling and storage

#### Precautions for safe handling

Protective measures

: Put on appropriate personal protective equipment (see Section 8). Persons with a history of skin sensitization problems should not be employed in any process in which this product is used. Avoid exposure - obtain special instructions before use. Avoid exposure during pregnancy. Do not handle until all safety precautions have been read and understood. Do not get in eyes or on skin or clothing. Do not ingest. Avoid release to the environment. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse container.

Advice on general occupational hygiene

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating. drinking and smoking. See also Section 8 for additional information on hygiene measures. Remove contaminated clothing and protective equipment before entering eating areas.

Date of issue : 12/30/2017

Version : 1



## Section 7. Handling and storage

including any incompatibilities

Conditions for safe storage, Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination. See Section 10 for incompatible materials before handling or use.

### Section 8. Exposure controls/personal protection

#### **Control parameters**

#### **United States**

#### Occupational exposure limits

Ingredient name	Exposure limits
Carbon black, non respirable Zinc oxide	NIOSH REL (United States, 10/2016).  TWA: 3.5 mg/m³ 10 hours.  TWA: 0.1 mg of PAHs/cm³ 10 hours.  OSHA PEL (United States, 6/2016).  TWA: 3.5 mg/m³ 8 hours.  ACGIH TLV (United States, 3/2017).  TWA: 3 mg/m³ 8 hours. Form: Inhalable fraction  NIOSH REL (United States, 10/2016).  CEIL: 15 mg/m³ Form: Dust  TWA: 5 mg/m³ 10 hours. Form: Dust and fumes  STEL: 10 mg/m³ 15 minutes. Form: Fertilizer and/or industrial use.  OSHA PEL (United States, 6/2016).  TWA: 5 mg/m³ 8 hours. Form: Respirable fraction  TWA: 15 mg/m³ 8 hours. Form: Total dust  ACGIH TLV (United States, 3/2017).  TWA: 2 mg/m³ 8 hours. Form: Respirable fraction  STEL: 10 mg/m³ 15 minutes. Form: Respirable fraction
Sulfur, homopolymer 1,3-Diphenylguanidine N-(cyclohexylthio)phthalimide 4-(1,1,3,3-Tetramethylbutyl)phenol	None. None. None. None.

#### Canada

#### Occupational exposure limits

ngredient name	Exposure limits
Carbon black, non respirable	CA British Columbia Provincial (Canada, 7/2016).
	TWA: 3 mg/m³ 8 hours. Form: Inhalable
	CA Alberta Provincial (Canada, 4/2009).
	8 hrs OEL: 3.5 mg/m³ 8 hours.
	CA Quebec Provincial (Canada, 1/2014).
	TWAEV: 3.5 mg/m³ 8 hours.
	CA Ontario Provincial (Canada, 7/2015).
	TWA: 3 mg/m³ 8 hours. Form: Inhalable fraction
	CA Saskatchewan Provincial (Canada, 7/2013).
	STEL: 7 mg/m³ 15 minutes.
	TWA: 3.5 mg/m³ 8 hours.
Zinc oxide	CA Quebec Provincial (Canada, 1/2014).
	TWAEV: 5 mg/m³ 8 hours. Form: Fertilizer and/or industrial use.
	STEV: 10 mg/m³ 15 minutes. Form: Fertilizer and/or industrial use.
	CA Alberta Provincial (Canada, 4/2009).
	8 hrs OEL: 2 mg/m³ 8 hours. Form: Respirable
	15 min OEL: 10 mg/m³ 15 minutes. Form: Respirable
	CA British Columbia Provincial (Canada, 7/2016).
	TWA: 2 mg/m³ 8 hours. Form: Respirable
	STEL: 10 mg/m³ 15 minutes. Form: Respirable
	CA Saskatchewan Provincial (Canada, 7/2013).
	STEL: 10 mg/m³ 15 minutes. Form: Respirable dust and fume.
	TWA: 2 mg/m³ 8 hours. Form: Respirable dust and fume.
	CA Ontario Provincial (Canada, 7/2015).

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com Date of issue : 12/30/2017

Version : 1



### Section 8. Exposure controls/personal protection

TWA: 2 mg/m³ 8 hours. Form: Respirable fraction STEL: 10 mg/m³ 15 minutes. Form: Respirable fraction

# Appropriate engineering controls

If user operations generate dust, fumes, gas, vapor or mist, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

# Environmental exposure controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

#### Individual protection measures

#### Hygiene measures

: Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

#### Eye/face protection

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin protection

**Hand protection** 

: Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary. Considering the parameters specified by the glove manufacturer, check during use that the gloves are still retaining their protective properties. It should be noted that the time to breakthrough for any glove material may be different for different glove manufacturers. In the case of mixtures, consisting of several substances, the protection time of the gloves cannot be accurately estimated.

#### **Body protection**

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Other skin protection

: Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection

: Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

### Section 9. Physical and chemical properties

#### <u>Appearance</u>

Physical state Solid. [Rubber.]

Color : Black.

Odor : Characteristic.
Odor threshold : Not available.
pH : Not available.
Melting point : Not available.
Boiling point : Not available.
Flash point : Not available.
Evaporation rate : Not available.

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version: 1



## Section 9. Physical and chemical properties

Flammability (solid, gas)

olid, gas) : Not available.

Lower and upper explosive

(flammable) limits

: Not available.

Vapor pressure

: Not available.

Vapor density

: Not available.

Relative density

1.08 to 1.14

Solubility

: Not available.

Partition coefficient: n-

: Not available.

octanol/water

: NOL 2

Auto-ignition temperature

Decomposition temperature

: Not available.

Viscosity

: Not available.
: Not available.

Flow time (ISO 2431)

: Not available.

### Section 10. Stability and reactivity

Reactivity

: No specific test data related to reactivity available for this product or its ingredients.

**Chemical stability** 

: The product is stable.

Possibility of hazardous

reactions

: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid

: No specific data.

Incompatible materials

: Highly reactive or incompatible with the following materials: oxidizing materials.

Hazardous decomposition

products

: Under normal conditions of storage and use, hazardous decomposition products should

not be produced.

### Section 11. Toxicological information

#### Information on toxicological effects

#### **Acute toxicity**

Product/ingredient name	Result	Species	Dose	Exposure
Carbon black, non respirable	LD50 Oral	Rat	>15400 mg/kg	-
1,3-Diphenylguanidine	LD50 Oral	Rat	323 mg/kg	-
N-(cyclohexylthio)phthalimide	LD50 Dermai	Rabbit	>5 g/kg	-
4-(1,1,3,3-Tetramethylbutyl)phenol	LD50 Dermal	Rabbit	1880 mg/kg	<b>=</b> :
	LD50 Oral	Rat	4600 mg/kg	·*-

#### Irritation/Corrosion

Product/ingredient name	Result	Species	Score	Exposure	Observation
N-(cyclohexylthio)phthalimide	Eyes - Mild irritant	Rabbit	-	70 mg	-
3	Eyes - Severe irritant Skin - Moderate irritant	Rabbit Rabbit		24 hours 50 µg 24 hours 20 mg	-

#### **Sensitization**

There is no data available.

#### **Mutagenicity**

There is no data available.

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version: 1



## Section 11. Toxicological information

#### Carcinogenicity

There is no data available.

#### Reproductive toxicity

There is no data available.

#### **Teratogenicity**

There is no data available.

#### Specific target organ toxicity (single exposure)

Name	Category	Target organs
1,3-Diphenylguanidine	Category 3	Respiratory tract irritation

#### Specific target organ toxicity (repeated exposure)

There is no data available.

#### Aspiration hazard

There is no data available.

Information on the likely

routes of exposure

: Dermal contact. Eye contact. Inhalation. Ingestion.

#### Potential acute health effects

Eye contactInhalationNo known significant effects or critical hazards.No known significant effects or critical hazards.

Skin contact 

May cause an allergic skin reaction.

**Ingestion** : No known significant effects or critical hazards.

#### Symptoms related to the physical, chemical and toxicological characteristics

**Eye contact** : No known significant effects or critical hazards.

**Inhalation** : Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

**Skin contact**: Adverse symptoms may include the following:

irritation redness

reduced fetal weight increase in fetal deaths skeletal malformations

Ingestion Adverse symptoms may include the following:

reduced fetal weight increase in fetal deaths skeletal malformations

#### Delayed and immediate effects and also chronic effects from short and long term exposure

#### Short term exposure

Potential immediate

effects

: No known significant effects or critical hazards.

Potential delayed effects

: No known significant effects or critical hazards.

Long term exposure

Potential immediate

: No known significant effects or critical hazards.

effects

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version: 1

8/12



## Section 11. Toxicological information

Potential delayed effects : No known significant effects or critical hazards.

#### Potential chronic health effects

General : Once sensitized, a severe allergic reaction may occur when subsequently exposed to

very low levels.

Carcinogenicity
 Mutagenicity
 No known significant effects or critical hazards.
 Teratogenicity
 No known significant effects or critical hazards.
 Developmental effects
 No known significant effects or critical hazards.
 No known significant effects or critical hazards.

Fertility effects : Suspected of damaging fertility.

#### Numerical measures of toxicity

#### **Acute toxicity estimates**

There is no data available.

## Section 12. Ecological information

### **Toxicity**

Product/ingredient name	Result	Species	Exposure
Carbon black, non respirable	Acute EC50 37.563 mg/L Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
Zinc oxide	Acute IC50 1.85 mg/L Marine water	Algae - Skeletonema costatum	96 hours
	Acute IC50 46 μg/L Fresh water	Algae - Pseudokirchneriella subcapitata - Exponential growth phase	72 hours
	Acute LC50 98 µg/L Fresh water	Daphnia - Daphnia magna - Neonate	48 hours
	Acute LC50 1.1 ppm Fresh water	Fish - Oncorhynchus mykiss	96 hours
4-(1,1,3,3-Tetramethylbutyl)phenol	Acute EC50 140 µg/L Marine water	Algae - Skeletonema costatum	72 hours
	Acute LC50 0.42 mg/L Marine water	Crustaceans - Acartia tonsa - Adult	48 hours
	Acute LC50 0.011 mg/L Fresh water	Daphnia - Daphnia magna	48 hours
	Acute LC50 370 µg/L Fresh water	Fish - Danio rerio	96 hours
	Chronic NOEC 10 µg/L Marine water	Crustaceans - Tigriopus japonicus - Nauplii	21 days
	Chronic NOEC 12 µg/L Fresh water	Fish - Danio rerio - Egg	78 days

#### Persistence and degradability

There is no data available.

#### Bioaccumulative potential

Product/ingredient name	LogPow	BCF	Potential
Zinc oxide	(#:	60960	high
1,3-Diphenylguanidine	2.42	<20	low
N-(cyclohexylthio)phthalimide	2.82 to 3.56	-	low
4-(1,1,3,3-Tetramethylbutyl)phenol	4.8	740	high

#### **Mobility in soil**

Soil/water partition coefficient (Koc)

: Not available.

Other adverse effects

No known significant effects or critical hazards.

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com

Date of issue : 12/30/2017

Version : 1



## Section 13. Disposal considerations

#### **Disposal methods**

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

### **Section 14. Transport information**

	DOT Classification	TDG Classification	IMDG	IATA
UN number	UN3077	UN3077	UN3077	UN3077
UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide). Marine pollutant (Zinc oxide)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (Zinc oxide)
Transport hazard class(es)	9	9	9	9
Packing group	III	III	III	Ш
Environmental hazards	Yes.	Yes.	Yes.	Yes.

**AERG**: 171

### Additional information

**DOT Classification** 

: Non-bulk packages of this product are not regulated as hazardous materials unless transported by inland waterway. This product is not regulated as a hazardous material when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of §§ 173.24 and 173.24a.

#### TDG Classification

: Product classified as per the following sections of the Transportation of Dangerous Goods Regulations: 2.43-2.45 (Class 9), 2.7 (Marine pollutant mark). Non-bulk packages of this product are not regulated as dangerous goods when transported by road or rail.

#### **IMDG**

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 4.1.1.1, 4.1.1.2 and 4.1.1. 4 to 4.1.1.8.

#### Emergency schedules F-A, S-F

IATA

: This product is not regulated as a dangerous good when transported in sizes of ≤5 L or ≤5 kg, provided the packagings meet the general provisions of 5.0.2.4.1, 5.0.2.6.1.1 and 5.0.2.8.

Special precautions for user : Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Date of issue : 12/30/2017 10/12

Version: 1



### Section 15. Regulatory information

**U.S. Federal regulations** 

\* TSCA 8(a) PAIR: 4-(1,1,3,3-Tetramethylbutyl)phenol

TSCA 8(a) CDR Exempt/Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Clean Water Act (CWA) 307: Zinc oxide

Clean Water Act (CWA) 311: Aniline; Formaldehyde

Clean Air Act Section 112

(b) Hazardous Air **Pollutants (HAPs)**  : Listed

Clean Air Act Section 602

Class I Substances

: Not listed

Clean Air Act Section 602

Class II Substances

: Not listed

**DEA List I Chemicals** 

(Precursor Chemicals)

: Not listed

**DEA List II Chemicals** 

: Not listed

(Essential Chemicals)

#### **SARA 302/304**

#### Composition/information on ingredients

		SARA 302 TPQ		SARA 304 RQ	
Name	EHS	(lbs)	(gallons)	(lbs)	(gallons)
Aniline Formaldehyde	Yes. Yes.	1000 500	117.6 -	5000 100	587.9

SARA 304 RQ

: 198412698.4 lbs / 90079365.1 kg

**SARA 311/312** 

Classification

: SKIN SENSITIZATION - Category 1

TOXIC TO REPRODUCTION (Fertility) - Category 2

#### Composition/information on ingredients

Name	Classification
Sulfur, homopolymer	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
1,3-Diphenylguanidine	ACUTE TOXICITY (oral) - Category 4
	SKIN CORROSION/IRRITATION - Category 2
	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
	TOXIC TO REPRODUCTION (Fertility) - Category 2
	SPECIFIC TARGET ORGAN TOXICITY (SINGLE EXPOSURE) (Respiratory tract
	irritation) - Category 3
N-(cyclohexylthio)phthalimide	SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 2A
	SKIN SENSITIZATION - Category 1A

#### **SARA 313**

	Product name	CAS number
Form R - Reporting requirements	Zinc oxide	1314-13-2
Supplier notification	Zinc oxide	1314-13-2

SARA 313 notifications must not be detached from the SDS and any copying and redistribution of the SDS shall include copying and redistribution of the notice attached to copies of the SDS subsequently redistributed.

#### State regulations

Date of issue : 12/30/2017 11/12

Version 1



### Section 15. Regulatory information

**Massachusetts** 

: The following components are listed: Carbon black, non respirable; Distillates (petroleum), hydrotreated light naphthenic; Distillates (petroleum), hydrotreated heavy

naphthenic; Zinc oxide

**New York** : None of the components are listed.

: The following components are listed: Carbon black, non respirable; Distillates **New Jersey** 

(petroleum), hydrotreated light naphthenic; Distillates (petroleum), hydrotreated heavy

naphthenic: Zinc oxide: Kaolin

Pennsylvania : The following components are listed: Carbon black, non respirable; Zinc oxide; Kaolin

#### California Prop. 65

**WARNING**: This product can expose you to chemicals including Crystalline silica, respirable powder, Titanium dioxide. Formaldehyde, Aniline, which are known to the State of California to cause cancer, and Methanol, which is known to the State of California to cause birth defects or other reproductive harm. For more information go to www. P65Warnings.ca.gov.

Ingredient name		Maximum acceptable dosage level
Crystalline silica, respirable powder Titanium dioxide	•	
Formaldehyde	Yes.	
Methanol		Yes.
Aniline	Yes.	<u>=</u>

#### Canada

Canadian lists

Canadian NPRI The following components are listed: Zinc oxide

**CEPA Toxic substances** None of the components are listed.

Canada inventory (DSL) All components are listed or exempted.

NDSL)

### Section 16. Other information

#### Procedure used to derive the classification

Classification	Justification	
TOXIC TO REPRODUCTION (Fertility) - Category 2	Calculation method Calculation method Calculation method Calculation method	

#### **History**

: 12/30/2017 Date of issue mm/dd/yyyy

Version

Prepared by : KMK Regulatory Services Inc.

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

Tel: +1-888-GHS-7769 (447-7769) / +1-450-GHS-7767 (447-7767) www.kmkregservices.com www.askdrluc.com www.ghssmart.com Date of issue : 12/30/2017 12/12

Version : 1